



LTS 125S

LTS 1255

Overview




Urban Agility Redefined: Your Nimble Commuting Companion

Compact Build

Efficient Performance

Practical Design



Cyber-Inspired Styling Dynamic Edge



Flowing, compact bodywork seamlessly blends cyber aesthetics with aerodynamic design. Modern lighting arrangements paired with vibrant color schemes create a sharp, eye-catching presence.

The sleek profile not only delivers visual impact but also grants you the freedom to weave effortlessly through city streets.

Color-Segment LCD Display for At-a-Glance Information

Equipped with a high-contrast color-segment LCD instrument panel, the interface is clean and intuitive, making essential riding data easy to read at a glance.

Monitor speed, mileage, and more in real time, elevating your sense of control and technological experience on every ride.



124cc Air-Cooled Engine: Efficient and Dependable

Maximum Power: 6.9kW/7000rpm

Peak Torque: 10.0N·m/6000rpm

The motorcycle is paired with a CVT automatic transmission and smooth and robust power delivery. Navigate city stop-and-go traffic with ease and tackle inclines confidently, meeting the demands of daily commutes and weekend getaways alike.

Core Power



Front & Rear Disc Brakes with In-House Calipers for Confident Control

Both front and rear disc brake configuration, complemented by a CBS (Combined Braking System), delivers responsive and linear braking performance.

Exceptional stability at higher speeds and composed handling in emergency situations establish a solid safety foundation for urban riding.

3
K
S
Safety
07

EQUIPMENTS

Features



109 kg Lightweight Chassis 140 mm Ground Clearance Ready for Any Road

The light and compact build offers a tight turning radius, allowing you to navigate narrow alleys with ease.

High ground clearance handles potholes and speed bumps without breaking stride, balancing maneuverability with handling stability - perfect for beginners to master quickly.



Accessible Seat Height + Ergonomic Seat + Optimized Footrest Design



The 760 mm seat height allows both feet to plant firmly on the ground.

Well-cushioned seating contours to your body, and the footboard is positioned for a natural, relaxed riding posture that reduces fatigue.

Whether it's your daily commute or a weekend escape, enjoy every pleasant ride.

Storage Space Thoughtfully Convenient

The body provides ample storage compartments to easily accommodate daily essentials.

Optional rear rack + SHAD 33 L top case available for even more cargo capacity.


Thoughtful Details Hassle-Free Commuting

Standard onboard USB port keeps your devices charged on the go - never run out of power during your commute.

Front left and right storage pockets + front hook make everyday items easy to store and retrieve.

Safety in the Details

Side Stand Shutdown Switch Prevents Accidental Starts



Features a side stand shutdown function that prevents starting with the side stand deployed, particularly useful in frequent urban stop-and-go scenarios - safety built into every detail.

Concealed footrest design for a cleaner, more refined look.

LTS 125 S

Parameters



Engine

Type	1-Cylinder, SOHC, Forcedly Air-Cooled
Bore*Stroke	52.5*57.4mm
Displacement	124cc
Max.Horsepower	6.9kW7000rpm(9.4ps)
MAX.Torque	10.0N·m/6000rpm
Fuel system	EFI
Starting system	Electric/Carburetor
Clutch	Automatic CVT
Transmission	Belt

Chassis

Front suspension	Telescopic forks
Rear suspension	Telescopic coil spring oil damped
Front tyre	90/80-14
Rear tyre	100/80-14
Front brake	Disc ø240mm
Rear brake	Disc ø190mm

Dimensions

Overall L*W*H	1880*715*1075mm
Wheel base	1290mm
Seat height	760mm
Ground clearance	140mm
Curb weight	109kg
Fuel capacity	7L

Homologation: E5,E5+

Available Colours: ■ ■

*Due to the availability of personalized configuration options, the specifications of the purchased vehicle shall prevail.

*Unless otherwise stated, all data presented on this page are test results obtained by the manufacturer under standard conditions and are provided for reference only. Actual performance may vary.