



SUV 1600

One Vehicle Total Domination

SFA 1000 Overview



SFA 1000

An untamed warrior of the wild, a free spirit without boundaries, SFA1000 powers through the toughest terrain with fearless strength, effortlessly conquering sand, mud, rocks, and more.



SEAT 1000



Relentless Power

In-house developed all-new V2 engine
With optional CVTech clutch or in-house
clutch system

80° V-angle layout

Power 65.0kW

Torque 93N·m

Delivers stronger performance across the entire rev range, with significantly increased power output at high speeds. Well-balanced in both power delivery and vibration control, ensuring a more comfortable ride. Robust performance that meets your ambitions, anytime, anywhere.

Born for Off-Road Exceptional by Nature

2WD/4WD modes

On-the-fly switching between 2WD and 4WD, together with rear mechanical differential lock (optional), when one side wheel slips, the lock can be engaged to restore traction, improving recovery efficiency by up to 60%.

On-the-fly switching between 2WD and 4WD, combined with the optional rear mechanical differential lock, allows the rider to restore traction when one wheel slips, improving recovery efficiency by up to 60%.

Optional winch

3,500/2,500 lb winch (with optional steel cable or nylon rope) and a tow ball, designed to meet diverse needs across various scenarios.





Three EPS Modes

- Normal** Balancing responsiveness and versatility to suit everyday riding
- Comfort** Enhanced electric power assistance to reduce arm fatigue during long rides.
- Sport** More direct and clearer road feedback to enhance maneuverability and rider confidence.

Optional chassis skid plate


- Corrosion resistance** Protects the chassis from erosion caused by mud, sand, stones, salt, and other elements.
- Impact resistance** Provides additional protection for the chassis, shielding it from impacts by rocks, bumps, and other obstacles.

25L extra-large fuel tank

Play harder and go wilder with no range anxiety.



Wild Styling Uniquely Outstanding



A. Rugged exterior design

An eye-catching, rugged design that blends performance with aesthetics, delivering a powerful visual impact.

B. High-brightness LED headlights

High-brightness LED headlights come standard across the model range, increasing nighttime visibility by 50%.

Versatile adjustability for exceptional comfort

Adjustable suspension

Optional oil or air suspension with a multi-level adjustable air shock system, offering 6-stage damping adjustment. In On-Road Mode, it smoothly absorbs vibrations; in Off-Road Mode, it enhances support to significantly reduce fatigue from bumps and jolts.



Optional seat suspension

1/ Optional integrated two-person seat with backrest

Features high-density memory foam to support two riders; available in genuine leather or durable waterproof fabric, balancing comfort and practicality.

2/ Optional integrated backrest seat cushion

Offers flexibility for single-seat modification to meet diverse needs.

Thoughtful options for enhanced off-road experience



■ **Optional windshield**

Effectively blocks wind resistance, dust, insects, rain, and debris to prevent direct impact on the rider's face and body, ensuring clear vision and improving riding safety.

■ **Optional hand guards**

Improve protection by reducing sand and insect impact on the rider's hands. When riding off-road through forests, the hand guards shield against branch strikes and prevent hand injuries, allowing the rider to confidently tackle complex terrain.

■ **Four disc brakes + four-channel ABS (optional)**

For safer off-road riding.

Thoughtful options for enhanced off-road experience



- **7" full-color TFT display/5" LCD cluster**

Two instrument options to meet different needs.

- **Optional expandable steel front/rear bumpers/small bumpers**

Designed to protect against collisions in complex terrains such as rocks and jungles.

- **Optional large bumper**

Provides excellent protection and absorbs heavy impacts, effectively shielding the vehicle body, engine, frame, and other critical components during collisions, rollovers, or obstacle encounters.

- **Optional toothed metal footpegs**

Made from high-strength, high-hardness metal, the footpegs withstand heavy pressure and impact, and are designed to prevent foot slippage even in wet, muddy, or otherwise harsh environments.

Cargo Capacity Beyond Imagination



Optional lightweight cargo racks

Rust-resistant engineering plastic/steel/aluminum alloy racks

Meet daily cargo needs, with optional steel racks available to maximize load capacity, ideal for farming, freight, and other scenarios.





■ Tested to Trust Built to Last

All-terrain tires 27×9-R14 27×11-R14

All-terrain tread design, with multiple tread pattern options available;
Optional aluminum or steel wheels;
Rigorously tested under extreme conditions to ensure

Optional professional beadlock design

Ensures tire stability during low-pressure off-road riding, compatible with 26", 27", and 28" tires
Effortlessly conquers mud, sand, and rocky terrain

Optional Features at a Glance: Fully Personalizable

- 1 Lightweight, rust-resistant engineered Front and rear box systems
- 2 Expandable steel front/rear bumpers
- 3 3,500 / 2,500 lb winch (optional steel or nylon rope) + tow hitch ball
- 4 Chassis skid plate
- 5 Oil/air shock absorbers
- 6 Four-disc brakes + 4-channel ABS
- 7 Toothed metal foot pegs
- 8 Professional beadlock wheels
14" hubs available in aluminum or steel
27" tires with multiple tread patterns
- 9 Integrated dual seat with backrest
Integrated seat with backrest
- 10 Hand guards
- 11 7" TFT/5" LCD display options
- 12 Windshield



SFA1000 Available Colors

Vitality Red



Jewel Black



Pure White



Jungle Camo



Versions Available

■ SFA 1000

■ SFA 1000 E



■ SFA 1000 P

SFA1000 Parameters

Engine

Type	2-Cylinder, 8V SOHC, Liquid-Cooled
Bore*Stroke	91.0*75.0mm
Displacement	975.6cc
Max. Horsepower	65.0kW17250rpm(88.4ps)
MAX. Torque	93.0N.m/6250rpm
Fuel system	EFI
Starting system	Electric
Clutch	CVT Wet multi-plate
Transmission	CVT shaft

Chassis

Front suspension	Airbag shock absorber
Rear suspension	Pneumatic shock absorber
Front tyre	27*9-14
Rear tyre	27*11-14
Front brake	Disk Ø210mm
Rear brake	Disk Ø210mm

Dimensions

Overall L*W*H	2330*1274*1460
Wheel base	1480mm
Seat height	577mm
Ground clearance	285mm
Curb weight	491kg
Fuel capacity	25L±2L

Homologation: EU 167/2013/EPA 49 States

* Product specifications are subject to final delivery.

* Product images, models, specifications, features, performance, and other parameters are for reference only. QJMOTOR may make changes to the above content. Please refer to the actual product or user manual for accurate information.

* Unless otherwise stated, all data presented in this brochure are internally obtained test results and are provided for reference only.

