



SRK 400 RR

SRK 400 RR Overview



Forge Ahead Race to the Future

Tear through the wind, conquer every curve

When the tachometer needle charges toward the red zone, when the exhaust roar explodes and echoes through tunnels - this is no ordinary ride, this is defying the laws of physics!

SRK400RR, a true race replica, injects savage power into every inch of its track-bred DNA. More aggressive than a street bike, yet easier to control than a supermoto, it strikes the perfect balance between the track and the mountain roads.



DESIGN

Look



Signature Design Sharp & Supreme Character



A. Sharp Front

Distinctive styling paired with dual-lens LED headlights delivers outstanding illumination, a true standout on the track.

B. Hidden Exhaust

Removes every excess detail, creating conquest-ready mechanical aesthetics with flowing lines.





C

C. Single/Dual Swing Arm Options

Offers single and dual swing arm options to meet personalized needs.



D

D. Sleek Compact Tail Section

Clean and compact design paired with LED tail and turn signal lights. Instantly recognizable lights that draw attention wherever you go.

EQUIPMENT

Features



Mighty Heart Racing Glory

400cc inline twin-cylinder water-cooled engine

Maximum power: 30.5kW/9000rpm (41.5ps)

Maximum torque: 37.0N·m/7500rpm

Equipped with an inline twin-cylinder water-cooled 400cc engine that unleashes 30.5kW at 9000rpm and delivers 37.0N·m maximum torque at 7500rpm. Strong power output enables rapid straight-line acceleration and effortless cornering overtakes.

A track engine tailored for you where every acceleration is a challenge to the limits.



Maximum power

30.5kw/9000rpm (41.5ps)

Maximum torque

37.0N·m/7500rpm



Agile Stance Precision Control

A

A. High-Performance Inverted Front Forks

Deliver excellent support and maneuverability, allowing customizable riding style while maintaining vehicle stability even on rough surfaces.

B. Lightweight Design

The frame features a lightweight high-rigidity steel tube structure + aluminum alloy lightweight wheels, effectively reducing body weight while ensuring overall strength and enhancing handling agility. With a curb weight of only 191kg, the bike offers nimble and flexible control for an addictively exhilarating sensation of flying.



B



C.Ergonomic Handlebars

Hard braking before corners, your palms fit the grips flawlessly; full throttle out of corners, the natural forward-leaning grip position makes control feel effortless. SRK400 RR's ergonomics harness the bike's raw performance, creating seamless bike-rider unity. Every command receives the swiftest, most precise response.

Dual Protection for Ultimate Racing Experience

A. Dual-Channel ABS + TCS

Effectively prevents wheel slip and lock-up, enhancing the ability to handle sudden situations and improving racing safety. (TCS optional)

B. Dual-Disc Brake

Employing advanced braking technology and precision mechanical design, the coordinated dual-disc system achieves efficient brake force distribution and concentrated release, effectively shortening braking distance and providing reliable safety protection.



5 " TFT

Intuitive UI with comprehensive riding data, multilingual menus, smartphone connectivity, navigation, tire pressure monitoring, and more (LCD Display optional)

USB Charging Ports

No more battery anxiety



Single/Double Swing Arm Versions Available



Single Swing Arm Ver



Double Swing Arm Ver

SRK 400 RR

Parameters



Engine





Type	2-Cylinder Inline, 8V DOHC, Liquid-Cooled
Bore*Stroke	70.5*51.2mm
Displacement	400cc
Max.Horsepower	30.5kW/9000rpm(41.5ps)
MAX.Torque	37.0N·m/7500rpm
Fuel system	EFI
Starting system	Electric
Clutch	Manual, multi-plate Wet Clutch
Transmission	6 Gears, Chain

Chassis

Front suspension	Telescopic Upside-Down
Rear suspension	Telescopic coil spring oil damped
Front tyre	110/70 R17
Rear tyre	150/60 R17(160/60 ZR17)
Front brake	Disc ø260mm (ABS)
Rear brake	Disc ø240mm (ABS)

Dimensions

Overall L*W*H	2030*775*1130mm
Wheel base	1420mm
Seat height	790mm
Ground clearance	140mm
Curb weight	191kg
Fuel capacity	14.3L

Available Colours:    

Homologation: 250: E-Mark
400: E5,E5+,EPA

- * Due to the availability of personalized configuration options, the specifications of the purchased vehicle shall prevail.
- * Unless otherwise stated, all data presented on this page are test results obtained by the manufacturer under standard conditions and are provided for reference only. Actual performance may vary.