



**SRV125**

# *SRV125*

## Introduction





## Vintage Charm Timeless Elegance

The 125cc retro cruiser is the perfect blend of classic aesthetics and modern craftsmanship, offering a retro-elegant design.

DESIGN

Look



# Retro Gentleman Elegant Styling



## A. Sleek curves define the American cruiser contour

Round headlights and leather-stitched seat complement each other. Wherever you go, you're the main character.

## B. Retro round LED headlight

The unique capsule-style design delivers better road illumination and undeniable charm.

B



C

### **C. Exquisite peanut-type fuel tank (14.7 L)**

Compact and stylish, this fuel tank holds more than it shows. With a capacity of 14.7 L, it offers nearly 600 km of range - say goodbye to range anxiety.

### **D. Retro-style aluminum alloy wheels**

CST high-performance tubeless tires, exuding an extraordinary aura (17" front, 15" rear)



D

# SRV 125

## Features



## Powered by single-cylinder, water-cooling, four-valve engine

Engine tuning strikes the perfect balance between passion and practicality - maximum power of 11 kW @ 9,500 rpm delivers outstanding acceleration; 12.1 N·m @ 7,000 rpm ensures abundant power at low to mid-range revs, ideal for both city cruising and mountain roads.

The SRV 125 is equipped with a 6-speed international gearbox, with smooth and precise shifting. Optimized gear ratios provide seamless power delivery, making it easy to handle even for beginners. With Euro 5+ emissions standards, the engine is both performance-driven and environmentally friendly, in line with modern riding concepts.



Maximum power

**11 kW/9,500 rpm**

Maximum torque

**12.1 N·m/ 7,000 rpm**



A



B



C

### **A. Golden ergonomic design**

Comfort riding triangle, fully releasing lower back pressure for fatigue-free long rides.

### **B. 720 mm friendly seat height**

Thoughtfully designed low-center-of-gravity posture allows both beginners and smaller riders to confidently reach the ground, combining retro cruising elegance and comfort perfectly.

### **C. Chain drive/belt drive (Optional)**

A smooth, quiet riding experience with minimal maintenance. The belt drive option reduces noise and lubrication requirements, perfectly matching the elegant style of retro cruising for a more relaxing daily ride.



## ■ Efficient Filtration Comfortable Ride

### Front suspension:

Telescopic fork with precise support.

### Rear suspension:

Dual air shock absorbers for a smoother ride on rough terrain

Low center of gravity for better cornering control



## ■ Class-Leading Safety

Front and rear disc brakes with strong braking force

Dual-channel ABS (CBS optional)

Prevent wheel lock-up and side-slip, ensuring stable control during wet conditions or emergency stops. Ride with confidence and peace of mind on every journey.

Thoughtful tech features



A



B



C

**A. Color segment LCD (Standard LCD/color segment LCD/TFT, with three options available)**

Clear and intuitive motorcycle info display.

**B. Side stand shutdown function**

The engine power is automatically cut off if the side stand is not properly retracted, ensuring safe parking.

**C. Standard USB charging port**

Say goodbye to charging anxiety.

# SRV 125

## Optional Colors



Vitality Red



Cool Orange



Shining Gold



Space Silver



Ivory White



Night Black

# SRV 125

## Parameters



### Engine

Type	1-Cylinder, 4V SOHC, Liquid-Cooled
Bore*Stroke	54.0*54.5mm
Displacement	125cc
Max.Horsepower	11.0kW/9500rpm(15.0ps)
MAX.Torque	12.1N·m/7000rpm
Fuel system	EFI
Starting system	Electric
Clutch	Wet multi-plate
Transmission	6 Gears, Chain

### Chassis

Front suspension	Telescopic forks
Rear suspension	Telescopic coil spring oil damped
Front tyre	90/90-17
Rear tyre	140/90-15
Front brake	Disc ø280mm (ABS or CBS)
Rear brake	Disc ø240mm (ABS or CBS)

### Dimensions

Overall L*W*H	2140*825*1050mm
	2140*780*1050mm (Optional balance weight of the handlebar)
Wheel base	1440mm
Seat height	720mm
Ground clearance	140mm
Curb weight	150kg
Fuel capacity	14.7L

**Homologation: 150: E-Mark**  
**125: E5, E5+**

- Due to the availability of personalized configuration options, the specifications of the purchased vehicle shall prevail.
- Unless otherwise stated, all data presented on this page are test results obtained by the manufacturer under standard conditions and are provided for reference only. Actual performance may vary.