



SFA 300B

SFA 300B Introduction



Wild Evolution Boundless Freedom

Blending nimble handling, all-terrain comfort, and hardcore off-road prowess to shatter limits with raw performance. Bold and fierce, cutting through wind with untamed spirit; breaking barriers to venture into the unknown. Sprint, drift, conquer... unleash your passion and fuel pure adventure.



DESIGN Appearance



Power in Motion Unmistakable Ferocity

Aggressive hardcore styling that embodies power through sharp, refined lines. Dynamic contours create a muscular stance where every edge radiates commanding presence. Clean yet fierce design delivers jaw-dropping visual impact, revealing untamed character from within.



Enhanced Control Pure Exhilaration

Tight 5.8 m turning radius dramatically improves maneuverability with responsive steering; 20% lighter steering effort delivers effortless control, weaving through tight spots with ease. Superior handling dynamics fuel your hunger for thrills and multiply the excitement.



Best-in-class 88° approach angle eliminates nose strikes, tackling steep grades with confidence. Conquers punishing 45° climbs without hesitation, delivering rock-solid reliability for your outdoor expeditions and demanding work applications.



Off-Road Muscle Unleashed Power

The 289cc single-cylinder, liquid-cooled, four-valve powerplant hits 80km/h top speed with robust performance throughout the rev range, delivering serious low-end grunt for fearless hill climbing. Smooth power delivery with excellent vibration control ensures comfortable rides. Relentless performance that feeds your need for speed.



Maximum power

17.1kw/7000rpm


Maximum torque

27.2N·m/5500rpm

Off-Road Bloodline Born To Conquer



1. High-strength alloy steel frame delivers 30% more strength while shedding 10% weight: tough foundation for terrain domination
2. All-terrain rubber + 200 mm ground clearance
Front: 24 x 8-10
Rear: 24 x 10-10
Superior clearance conquers rough terrain with ease
3. Available 2000-lb winch + tow ball for recovery, rescue, climbing... handles whatever you throw at it
4. Massive 14 L fuel tank
Sleek profile maximizes leg room for comfortable positioning



Dialed-In Comfort for Every Adventure

A. Adjustable Suspension

Four-stage adjustable damping lets you dial in the perfect setup; plush off-road mode soaks up big hits while reducing fatigue; firm road mode delivers solid support.

B. Dual Seating (Material Options)

High-density memory foam supports two-up riding; choose premium leather or rugged waterproof fabric for the perfect blend of comfort and durability.


C. Backrest Support (Optional)

Tailored to your needs

Cargo Champion



Lightweight, corrosion-resistant polymer racks handle everyday cargo duties; upgrade to steel racks for heavy-duty hauling with 25 kg front and 40 kg rear capacity, perfect for farming, hauling, and work applications.




Full LED Illumination

Brilliant LED headlight delivers 550LM low beam and 1160LM high beam
50% better night vision for after-dark operations.



Triple Disc Brake Design

Larger contact area compared to dual-disc setups delivers stronger, more controlled braking for greater safety.



5-inch LCD Color Segment Display

More user-friendly UI interface with cleaner information display layout for clear vehicle information at a glance.



SEA 3000R

Optional Colors

Colored PP



Dawn Red



Moss Green



Meteorite Black



Stellar Blue



Warm Orange

Water Transfer Printing



Jungle Camouflage

Paint Finish



Vitality Red



Jewel Black

SFA 300 B

Parameters



Engine

Type	1-Cylinder, SOHC, Liquid-Cooled
Bore*Stroke	72.0*71.0mm
Displacement	289cc
Max.Horsepower	17.1kw/7000rpm (23.2ps)
MAX.Torque	27.2N·m/5500rpm
Fuel system	EFI
Starting system	Electric
Clutch	CVT
Transmission	L-H-N-R

Chassis

Front suspension	Telescopic coil spring oil damped
Rear suspension	Telescopic coil spring oil damped
Front tyre	AT24X8-10
Rear tyre	AT24X10-10
Front brake	Disc ø170mm
Rear brake	Disc ø180mm

Dimensions

Overall L*W*H	1952x1110x1264mm
Wheel base	1210mm
Seat height	830mm
Ground clearance	280mm
Curb weight	270kg
Fuel capacity	14L

Homologation: EU167

*Due to the availability of personalized configuration options, the specifications of the purchased vehicle shall prevail.

*Unless otherwise stated, all data presented on this page are test results obtained by the manufacturer under standard conditions and are provided for reference only.

Actual performance may vary.